



CERTIFIES THAT

**Unidad de Biología Molecular e Histocompatibilidad
Axencia Galega de Sangue, Órganos e Tecidos
SANTIAGO DE COMPOSTELA - SPAIN (09-ES-015.985)**

UNDER THE DIRECTION OF

**Dr. Adolfo EIRAS MARTINEZ
Dr. María Luisa ABAD ALASTRUEY**

HAVING MET THE REQUIREMENTS OF THE FEDERATION, ACCORDING TO THE EFI STANDARDS 7.0, IS GRANTED ACCREDITATION FOR HISTOCOMPATIBILITY TESTING

From 17 December 2018 To 17 December 2019

Categories:

I Renal and/or Pancreatic Transplantation:

Recipient Typing -
Antibody Screening -
Antibody Identification -
Donor Typing -
Cross-matching -

Other Solid Organ Transplantation:

Recipient Typing -
Antibody Screening -
Antibody Identification -
Donor Typing -
Cross-matching -

II Haematopoietic Stem Cell Transplantation:

Donor Registry Typing Yes
Related Transplantation Yes
Unrelated Transplantation Yes
Cord Blood Typing Yes
Cross-matching -
Chimaerism and engraftment monitoring -

III Disease Association Studies:

Yes

IV Transfusion:

Yes

Techniques:

Class I Typing by: CDC Flow cytometry DNA (low) DNA (high) PCR-SSP PCR-SSO PCR-SBT NGS
Yes - Yes Yes Yes Yes Yes -


Class II Typing by: CDC DNA (low) DNA (high) PCR-SSP PCR-SSO PCR-SBT NGS
- Yes Yes Yes Yes Yes -

MICA Typing: -

KIR Typing: Yes

HLA Antibody testing by: CDC Flow cytometry ELISA Bead array
Screening Yes - - -
Identification Yes - - -
Cross-matching - - - -

HNA Typing: - **HNA antibodies:** -
HPA Typing: Yes **HPA antibodies:** Yes


Adj. Prof. Dr. Joannis Mytilineos
President


Dr. Andrea Harmer
Chair, Accreditation Committee